



Model	Nominal "JT"	Joint Opening "JT"			Total Movement	Mat. Code
		Seismic Min.	Thermal Min.	Max.		
HDLE-4-1	4"	3"	3"	5"	2"	

THE JOINT OPENINGS INDICATED ARE FOR THE SYSTEM WITHOUT A FIRE BARRIER. IF AN OPTIONAL FIRE BARRIER IS SELECTED THE MINIMUM JOINT OPENING MAY BE LARGER THAN SHOWN IN TABLE,

ARCHITECT/CONTRACTOR NOTE:
ALL SUBASSEMBLY COMPONENTS TO BE PROVIDED IN 10'-0" OR 20'-0" STOCK LENGTHS UNLESS OTHERWISE NOTED. THE SPECIFIC SYSTEMS DICTATE THE LENGTHS PROVIDED.

Representative: _____ Customer: _____ Project: _____ Location: _____ Project Number: _____



MM
MM SYSTEMS

50 MM WAY
PENDERGRASS, GA. 30567
PHONE: 706-824-7500
866-50 MM WAY
866-506-6929
FAX: 706-824-7501

www.mmsystemscorp.com

For Spec-Data, Installation Guides, or movement requirements, contact MMISC

RIGHTS OF DESIGN

All rights of design, detail, engineering and/or invention contained herein are the property of MM Systems Corporation and hereby reserved and are not to be reproduced or provided to any other party. MM Systems Corporation reserves the right to amend or withdraw any information contained herein without notice and will not be liable for any inaccuracy or ambiguity of said information.

HDLE-4-1

Model: _____
Drawn by: _____ Scale: NTS
SHT. OF _____ Issue Date: 03-29-07
Drawing Number: _____