



Model	Nominal "JT"	Joint Opening "JT"			Total Movement	Mat. Code
		Seismic Min.	Thermal Min.	Max.		
HDS-2-1	2"	0.5"	1.5"	3.5"	3"	HD1502

THE JOINT OPENINGS INDICATED ARE FOR THE SYSTEM WITHOUT A FIRE BARRIER. IF AN OPTIONAL FIRE BARRIER IS SELECTED THE MINIMUM JOINT OPENING MAY BE LARGER THAN SHOWN IN TABLE,

ARCHITECT/CONTRACTOR NOTE:
ALL SUBASSEMBLY COMPONENTS TO BE PROVIDED IN 10'-0" OR 20'-0" STOCK LENGTHS UNLESS OTHERWISE NOTED. THE SPECIFIC SYSTEMS DICTATE THE LENGTHS PROVIDED.

Representative:	Customer:	Project:	Location:	Project Number:
-----------------	-----------	----------	-----------	-----------------

MM SYSTEMS
50 MM WAY
PENDERGRASS, GA. 30567
PHONE: 706-824-7500
866-50 MM WAY
866-506-6929
FAX: 706-824-7501
www.mmsystemscorp.com

For Spec-Data, Installation Guides, or movement requirements, contact MMSC

RIGHTS OF DESIGN
All rights of design, detail, engineering and/or invention contained herein are the property of MM Systems Corporation and hereby reserved and are not to be reproduced or provided to any other party. MM Systems Corporation reserves the right to amend or withdraw any information contained herein without notice and will not be liable for any inaccuracy or ambiguity of said information.

HDS-2-1

Model:	HDS-2-1	
Drawn by:	LMP	Scale: NTS
SHT. . OF .	Issue Date:	Drawing Number:
	09-20-10	HD1502