



| Model      | Nominal "JT" | Joint Opening "JT" |              |      | Total Movement | Mat. Code |
|------------|--------------|--------------------|--------------|------|----------------|-----------|
|            |              | Seismic Min.       | Thermal Min. | Max. |                |           |
| HPDS-5-2.5 | 5"           | 2.5"               | 2.5"         | 8"   | 5.5"           | HD1903    |

THE JOINT OPENINGS INDICATED ARE FOR THE SYSTEM WITHOUT A FIRE BARRIER. IF AN OPTIONAL FIRE BARRIER IS SELECTED THE MINIMUM JOINT OPENING MAY BE LARGER THAN SHOWN IN TABLE,

**ARCHITECT/CONTRACTOR NOTE:**  
 ALL SUBASSEMBLY COMPONENTS TO BE PROVIDED IN 10'-0" OR 20'-0" STOCK LENGTHS UNLESS OTHERWISE NOTED. THE SPECIFIC SYSTEMS DICTATE THE LENGTHS PROVIDED.

|                 |           |          |           |                 |
|-----------------|-----------|----------|-----------|-----------------|
| Representative: | Customer: | Project: | Location: | Project Number: |
|-----------------|-----------|----------|-----------|-----------------|

50 MM WAY  
 PENDERGRASS, GA. 30567  
 PHONE: 706-824-7500  
 866-50 MM WAY  
 866-506-6929  
 FAX: 706-824-7501  
[www.mmsystemscorp.com](http://www.mmsystemscorp.com)

For Spec-Data, Installation Guides, or movement requirements, contact MMSC

**RIGHTS OF DESIGN**  
 All rights of design, detail, engineering and/or invention contained herein are the property of MM Systems Corporation and hereby reserved and are not to be reproduced or provided to any other party. MM Systems Corporation reserves the right to amend or withdraw any information contained herein without notice and will not be liable for any inaccuracy or ambiguity of said information.

**HPDS-5-2.5**

|             |             |                 |
|-------------|-------------|-----------------|
| Model:      |             |                 |
| Drawn by:   | Scale:      | Drawing Number: |
| SHT. . OF . | NTS         |                 |
|             | Issue Date: |                 |
|             | 07-11-12    |                 |