

IMPORTANT LIFE SAFETY PRODUCT NOTE

PF-2018F-SC-7-3.5 (OPTIONAL)
TO ACHIEVE RATING, 2-HOUR FIRE BARRIER
MUST BE INSTALLED IN 2-HOUR RATED SLAB,
MINIMUM 4-1/2" JT. FACE. BARRIERS MUST BE
INSTALLED IN STRICT ACCORDANCE WITH
TYPICAL FLOOR FIRE BARRIER INSTALLATION
INSTRUCTIONS PROVIDED IN THIS SUBMITTAL

\* CONTACT FACTORY FOR OTHER STYLES OF FIRE BARRIER

	Nominal	Joint Opening "JT"				Total	Mat.
Model	"JT"	Seismic Min.	Thermal Min.	Thermal Max.	Seismic Max.	Movement	Code
LASB-NBR-7-3.5125R	7"	0.25"	6.625"	7.375"	10.5"	10.25"	NB1530
LASB-NBR-7-3.5125R w/ PF-2018F-SC-7-3.5	7"	3.5"	6.625"	7.375"	10.5"	7"	NB1530

## ARCHITECT/CONTRACTOR NOTE:

ALL SUBASSEMBLY COMPONENTS TO BE PROVIDED IN 10'-0" OR 20'-0" STOCK LENGTHS UNLESS OTHERWISE NOTED. THE SPECIFIC SYSTEMS DICTATE THE LENGTHS PROVIDED.

Representative: Customer: Project: Location: Project Number:

RIGHTS OF DESIGN



50 MM WAY PENDERGRASS, GA. 30567 PHONE: 706-824-7500 800-241-3460

800-241-3460 FAX: 706-824-7501

www.mmsystemscorp.com

For Spec-Data, Installation Guides, or movement requirements, contact MMSC

All rights of design, detail, engineering and/or invention contained herein are the property of MM Systems Corporation and hereby reserved and are not to be reproduced or provided to any other party. MM Systems Corporation reserves the right to amend or withdraw any information contained herein without notice and will not be liable for any inaccuracy or ambiguity of said information.

## LASB-NBR-7-3.5-.125R

11-14-12

 Model:
 Scale:

 Drawn by:
 Scale:

 LMP
 NTS

 Issue Date:
 14.44.12

Drawing Number: NB1530