


IMPORTANT LIFE SAFETY NOTE
 B THICKNESS AND CONSTRUCTION TO
 IT HOURLY ENDURANCE REQUIRED.
 ER TO IBC TABLE 721.2.2.1 "MINIMUM
 B THICKNESS".

IMPORTANT LIFE SAFETY PRODUCT NO
 PF-2018F-SC-8-4 (OPTIONAL)
 TO ACHIEVE RATING, 2-HOUR FIRE BARRIER
 MUST BE INSTALLED IN THE JOINT OPENING
 WHOSE JOINT FACE IS RATED FOR 2-HOUR.
 BARRIERS MUST BE INSTALLED IN STRICT
 ACCORDANCE WITH TYPICAL FLOOR FIRE
 BARRIER INSTALLATION INSTRUCTIONS
 PROVIDED IN THIS SUBMITTAL.
INTERTEK DESIGN NO. MM/EJH 120-01

| Model | Nominal "JT" | Joint Opening "JT" | | | | Total Movement | Mat. Code |
|---------------------------------------|--------------|--------------------|--------------|--------------|--------------|----------------|-----------|
| | | Seismic Min. | Thermal Min. | Thermal Max. | Seismic Max. | | |
| LASB-NBR-8-4-.125R | 8" | 0.25" | 7.625" | 8.375" | 12" | 11.75" | EJNB1518 |
| LASB-NBR-8-4-.125R w/ PF-2018F-SC-8-4 | 8" | 3.5" | 7.625" | 8.375" | 12" | 8.5" | EJNB1518 |

USE WITH LASBE-NBR-8-2-.125R & LASBNE-NBR-8-2-.125R

| | | | | | |
|--|-----------|--|---------------|-------------------------|------------------------------------|
| Representative: | Customer: | Project: | Location: | Project Number: | |
|  <p>MM SYSTEMS 50 MM WAY PENDERGRASS, GA. 30567 PHONE: 706-824-7500 800-241-3460 FAX: 706-824-7501 www.mm.systems</p> | | <p>RIGHTS OF DESIGN</p> <p>All rights of design, detail, engineering and/or invention contained herein are the property of MM Systems and hereby reserved and are not to be reproduced or provided to any other party. MM Systems reserves the right to amend or withdraw any information contained herein without notice and will not be liable for any inaccuracy or ambiguity of said information.</p> | | | |
| | | LASB-NBR-8-4-.125R | | | Drawing Number: EJNB1518 |
| | | Drawn by: BOO | Scale: NTS | Issue Date: 10-24-23 | |
| For Spec-Data, Installation Guides, or movement requirements, contact MM Systems | | SHT. 1 OF 1 | | | |