

| | Nominal | Joint Opening "JT" | | | Total | Mat. | |
|--------------|---------|--------------------|--------------|--------------|--------------|----------|--------|
| Model | "JT" | Seismic Min. | Thermal Min. | Thermal Max. | Seismic Max. | Movement | Code |
| ASC-4-2_CONC | 4" | 2.5" | 3" | 5" | 6 | 3.5" | SW1002 |

SIGHT LINE MATCHES UP WITH ASCL-4-1

CLEAR ANODIZE IS STANDARD FINISH

| Representative: Customer: | Project: | Location: | | Project Number: |
|---|--|------------------|-------------------------|-----------------|
| MM SYSTEMS 50 MM WAY PENDERGRASS, GA. 30567 PHONE: 706-824-7500 800-241-3460 FAX: 706-824-7501 | RIGHTS OF DESIGN All rights of design, detail, engineering and/or invention contained herein are the property of MM Systems Corporation and hereby reserved and are not | ASC-4-2_CONC | | |
| | to be reproduced or provided to any other party. MM Systems Corporation reserves the right to amend or | Drawn by: LMP | Scale: NTS | Drawing Number: |
| www.mmsystemscorp.c For Spec-Data, Installation Guides, or movement requirements, contact MM | ———— notice and will not be hable for any maccuracy or | SHT. OF . | Issue Date: 01-14-14 | SW1002 |